



 **MADE IN GERMANY**



**HEAVY DUTY MACHINES FOR CONCRETE  
CORE DRILLING, CHANNEL CUTTING,  
GRINDING, MILLING & MIXING**



**german  
brand  
award  
2023  
winner**



## DIAMOND WET CORE DRILLING MACHINES

## PRODUCT PAGE

## ACCESSORIES PAGE



■ <b>MCW 350</b>	350 mm Diameter Core Drilling	<b>03</b>	<b>20</b>
■ <b>MCW 250</b>	250 mm Diameter Core Drilling	<b>03</b>	<b>20</b>
■ <b>MCW 200</b>	200 mm Diameter Core Drilling	<b>03</b>	<b>20</b>
■ <b>MCW 160</b>	160 mm Diameter Core Drilling	<b>04</b>	<b>21</b>
■ <b>MCW 125</b>	125 mm Diameter Core Drilling	<b>04</b>	<b>21</b>
■ <b>MCW 40</b>	40 mm Diameter Core Drilling	<b>04</b>	<b>22</b>

## DIAMOND DRY CORE DRILLING MACHINES

## PRODUCT PAGE

## ACCESSORIES PAGE



■ <b>MCD 250</b>	250 mm Diameter Core Drilling	<b>06</b>	<b>22</b>
■ <b>MCD 825</b>	200 mm Diameter Core Drilling	<b>06</b>	<b>22</b>
■ <b>MCD 200</b>	160 mm Diameter Core Drilling	<b>06</b>	<b>23</b>
■ <b>MCD 822A</b>	82 mm Diameter Core Drilling	<b>07</b>	<b>23</b>
■ <b>MCD 824S</b>	82 mm Diameter Core Drilling	<b>07</b>	<b>24</b>

## WALL CHASER MACHINES

## PRODUCT PAGE

## ACCESSORIES PAGE



■ <b>MCS 125B2</b>	30 mm Width x 30 mm Depth. 2 Blades	<b>09</b>	<b>26</b>
■ <b>MCS 150B6</b>	35 mm Width x 45 mm Depth. 6 Blades	<b>09</b>	<b>26</b>
■ <b>MCS 150B2</b>	35 mm Width x 45 mm Depth. 2 Blades	<b>09</b>	<b>26</b>
■ <b>MCS 185B4</b>	43 mm Width x 60 mm Depth. 4 Blades	<b>10</b>	<b>27</b>
■ <b>MCS 185B2</b>	43 mm Width x 60 mm Depth. 2 Blades	<b>10</b>	<b>27</b>
■ <b>MGM 300</b>	50 mm Width x 38 mm Depth. Eurocutter	<b>10</b>	<b>27</b>
■ <b>MCS 150B11</b>	35 mm Width x 45 mm Depth. 11 Blades	<b>11</b>	<b>27</b>

## MILLING &amp; GRINDING MACHINES

## PRODUCT PAGE

## ACCESSORIES PAGE



■ <b>MCM 700</b>	Up to 7 mm Depth	<b>13</b>	<b>29</b>
■ <b>MCM 600</b>	Up to 6 mm Depth	<b>13</b>	<b>29</b>

## CONCRETE AND PAINT MIXERS

## PRODUCT PAGE

## ACCESSORIES PAGE



■ <b>MIX 25</b>	Up to 25 Kg. Mixing	<b>15</b>	<b>32</b>
■ <b>MIX 125D</b>	Up to 125 Kg. Mixing	<b>15</b>	<b>32</b>
■ <b>MIX 1800</b>	Above 1800 Kg. Mixing	<b>15</b>	<b>32</b>
■ <b>MIX 1800C</b>	Above 1800 Kg. Mixing	<b>15</b>	<b>32</b>

## ACCESSORIES

## PRODUCT PAGE



■ <b>Diamond Core Drills</b>	<b>17</b>
■ <b>Accessories for Wet and Dry Core Drilling Machines</b>	<b>19</b>
■ <b>Accessories for Wall Chaser Machines</b>	<b>26</b>
■ <b>Accessories for Milling &amp; Grinding Machines</b>	<b>29</b>
■ <b>Accessories for Concrete and Paint Mixers</b>	<b>31</b>



MCW 350



MCW 250



MCW 200

MODEL NUMBER

MAX. DIAMETER

MOTOR OUTPUT

GEAR 1  
TORQUE | SPEED

GEAR 2  
TORQUE | SPEED

GEAR 3  
TORQUE | SPEED

WEIGHT

PRICE

350 mm

3000 Watt

185 Nm | 240 rpm

107 Nm | 480 rpm

55 Nm | 1100 rpm

18 Kg

₹ 3,16,600

250 mm

2200 Watt

98 Nm | 310 rpm

49 Nm | 620 rpm

35 Nm | 1400 rpm

10 Kg

₹ 2,68,900

200 mm

2150 Watt

71 Nm | 900 rpm

34 Nm | 1935 rpm

17 Nm | 3500 rpm

7 Kg

₹ 1,66,800

## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic and integrated PRCD switch
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency
- **Low operating cost** with an easy to maintain rinsing head

## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic and integrated PRCD switch
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through easy to maintain rinsing head and an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency

## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic and integrated PRCD switch
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free. Easy to maintain rinsing head
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency
- **Automatic coupling system**



- > Extremely powerful 3.000 Watt motor with continuous output and up to 185 Nm of torque
- > 3-speed gear box with high performance lubrication
- > The drill stand and machine can be installed by one person



- > Extremely powerful 2.200 Watt motor with continuous output and up to 98 Nm of torque
- > 3-speed gear box with permanent lubrication
- > The drill stand and machine can be installed by one person



- > The machine can be hand-guided precisely
- > With drill stand, very accurate, even with bigger diameters
- > Clamping collar Ø 60 mm



MCW 160



MCW 125



MCW 40

MODEL NUMBER

MAX. DIAMETER

MOTOR OUTPUT

GEAR 1  
TORQUE | SPEED

GEAR 2  
TORQUE | SPEED

GEAR 3  
TORQUE | SPEED

WEIGHT

PRICE

160 mm

1800 Watt

57 Nm | 1100 rpm

27 Nm | 2200 rpm

-

6.5 Kg

₹ 2,00,900

102 mm/125mm\*  
\*with drill stand

1400 Watt

55 Nm | 780 rpm

26 Nm | 1500 rpm

-

6 Kg

₹ 1,52,850

40 mm

800 Watt

4200 rpm

7500 rpm

-

4.5 Kg

₹ 2,11,100

## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic and integrated PRCD switch
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency
- **Low operating cost** with an easy to maintain rinsing head



- > Extremely powerful 3.000 Watt motor with continuous output and up to 185 Nm of torque
- > 3-speed gear box with high performance lubrication
- > The drill stand and machine can be installed by one person

## ADVANTAGES

- **Electronic switch-off** in case of tilting or overload
- **Protected** by an integrated PRCD switch and safety clutch
- **Low operating cost** as the clutch is almost wear-free
- **Clamping collar** Ø 60 mm



- > The machine can be hand-guided precisely
- > With additional drill stand even with large diameters
- > 2-speed gear box with a special high performance lubrication

## ADVANTAGES

- Die-cast aluminium and case-hardened gear parts for **durability**
- Integrated pressurised water container for **dust free drilling**
- **Safe** through the PRCD switch
- Only machine in the world with integrated water container
- **Low operational cost** as the mechanical clutch is almost wear-free.
- **Clamping collar** Ø 56 mm



- > Fast and clean drilling of break-free holes in the hardest tiles
- > Handy and adjustable 1-liter-water container
- > 2-speed gear box with a special high performance lubrication



# DIAMOND DRY CORE DRILLING MACHINES





## DIAMOND DRY CORE DRILLING MACHINES



MCD 250



MCD 200



MCD 160

MODEL NUMBER

MAX. DIAMETER

MOTOR OUTPUT

GEAR 1  
TORQUE | SPEED

GEAR 2  
TORQUE | SPEED

IMPACT

WEIGHT

PRICE

250 mm

2200 Watt

60 Nm | 480 rpm

28 Nm | 940 rpm

9600 bpm | 18800 bpm

6.5 Kg

₹ 2,21,300

200 mm

2150 Watt

57 Nm | 725 rpm

27 Nm | 1500 rpm

14500 bpm | 30000 bpm

6.5 Kg

₹ 2,17,900

160 mm

1800 Watt

94 Nm | 1800 rpm

-

28000 bpm

5.5 Kg

₹ 1,73,650

### ADVANTAGES

- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free. Easy to maintain rinsing head
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency

### ADVANTAGES

- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free. Easy to maintain rinsing head
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency

### ADVANTAGES


- **Safe**, with a unique and powerful overload electronic and integrated PRCD switch
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free. Easy to maintain rinsing head
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency



- > Electronics for a smooth start and a LED light for optimal drilling efficiency
- > Soft impact can be engaged for increased working speed in hard material and for extracting drilling dust from diamond segments
- > 2-speed gear box with a special high performance lubrication



- > Fast change to effective and dust-free socket sinking with interchangeable adapter
- > Soft impact can be engaged for increased working speed in hard material and for extracting drilling dust from diamond segments
- > 2-speed gear box with a special high performance lubrication



- > Easy conversion from dry core drilling to wet core drilling with the interchangeable adapter
- > Fast change to effective and dust-free socket sinking
- > Soft impact can be engaged for increased working speed in hard material and for extracting drilling dust from diamond segments







MODEL NUMBER

MCD 82SI

MCD 82

MAX. DIAMETER

82 mm

82 mm

MOTOR OUTPUT

1800 Watt

2000 Watt

GEAR 1  
TORQUE | SPEED

12 Nm | 1800 rpm

16 Nm | 2400 rpm

SOFT IMPACT

Yes

No

IMPACT

36000 bpm

-

WEIGHT

5 Kg

4.5 Kg

PRICE

₹ 1,49,800

₹ 1,32,800

## ADVANTAGES

- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency
- **Low operating cost** with an easy to maintain rinsing head
- **Dust extraction head** for dustfree drilling

## ADVANTAGES

- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch, as the electronic control makes the clutch almost wear-free. Easy to maintain rinsing head
- **Electronics** for a smooth start and a LED light for optimal drilling efficiency
- **Automatic coupling system**



- > With powerful 1.800 Watt motor for quick and easy drilling in the hardest of materials
- > The switchable soft impact function accelerates the work and increases life of the diamond core bits



- > With powerful 2.000 Watt motor
- > Perfect cooling of the diamond segments giving increased lifetime of core due to innovative suction pipe
- > Unique centering system with new center piece
- > Maintenance-friendly integrated center piece

# WALL CHASER MACHINES





## WALL CHASER MACHINES



MODEL NUMBER

MCS 125B2

MCS 150B6

MCS 150B2

CUTTING WIDTH

7 - 30 mm

7 - 35 mm

7 - 35 mm

CUTTING DEPTH

10 - 30 mm

7 - 45 mm

7 - 45 mm

BLADE DIAMETER

125 mm

150 mm

150 mm

MOTOR OUTPUT

1700 Watts

2400 Watts

1800 Watts

SPEED

6500 rpm

7200 rpm

7800 rpm

WEIGHT

3.5 Kg

6 Kg

5.5 Kg

PRICE

₹ 1,16,450

₹ 1,85,550

₹ 1,36,200

### ADVANTAGES

- **Compact design**
- **High torque**
- **Safe**, with a unique and powerful overload electronic
- **Dust-free milling with** patented and unique plastic suction device.
- **Spindle lock for** easy tool changes
- **Tool-free depth adjustment**
- **Ergonomic handle** and tool free depth adjustment up to 30 mm

### ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and a LED light for optimal milling efficiency
- **Dust-free milling with** excellent dust suction device
- **Ergonomic handle** and tool free depth adjustment up to 45 mm

### ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and a LED light for optimal cutting efficiency
- **Dust-free milling with** excellent dust suction device



- > With 1.700 Watt high torque output motor and only 3,6 kg weight
- > Machine to be pushed into cutting direction, allowing a comfortable position and cutting process to be monitored while being at ease
- > Blade center 22 mm



- > Time and cost saving: instant channels in one working process for installing empty pipes
- > Powerful 2.400 Watt motor and best rotation speed for cutting in the hardest of materials
- > Blade center Ø 22 mm



- > All cutting depths possible in one step with 2 diamond cutting blades
- > Machine to be pushed into cutting direction, allowing a comfortable position and cutting process to be monitored while being at ease
- > Blade center Ø 22 mm

## WALL CHASER MACHINES



MODEL NUMBER

MCS 185B4

MCS 185B2

MGM 300

CUTTING WIDTH

9 - 43 mm

9 - 43 mm

13 - 50 mm

CUTTING DEPTH

15 - 60 mm

15 - 60 mm

23 - 38 mm

BLADE DIAMETER

185 mm

185 mm

-

MOTOR OUTPUT

2400 Watts

2150 Watts

1400 Watts

SPEED

7200 rpm

7200 rpm

21500 rpm

WEIGHT

6.5 Kg

6.5 Kg

7 Kg

PRICE

₹ 2,21,300

₹ 1,77,000

₹ 1,43,000

### ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and a LED light for optimal cutting efficiency
- **Dust-free milling** with excellent dust suction device, Ø 38 mm
- **Ergonomic handle** and tool free depth adjustment up to 60 mm

### ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and a LED light for optimal cutting efficiency
- **Dust-free milling** with excellent dust suction device

### ADVANTAGES

- **Fine dust-free cutting** with dust suction device
- **Safe** through switch lock
- **Economical**: high speed cutting and resharpenable carbide cutter
- Dust-protected motor and gear box for **high durability**
- **Easy and simple** to replace front and rear rollers for smooth operation



- > Ready channels in one working process saving time and money
- > Powerful 2.400 Watt motor giving the best rotation speed for cutting in the hardest of materials without effort
- > Blade center Ø 22 mm



- > All cutting depths possible in one step with 2 diamond cutting blades
- > Machine to be pushed into cutting direction, allowing a comfortable position and cutting process to be monitored while being at ease
- > Blade center Ø 22 mm



- > Cutting shaft 20° inclined and embedded in two bearings for easy installation of cables and pipes without additional fixing
- > Simple adjustment of cutting depth
- > Motor cover and gear housing made of solid powder-coated die-cast aluminium




A complete system for floor channel cutting with carriage. Diamond channel cutter with 11 diamond cutting blades for bridgeless milling up to 50 mm wide and 25 mm deep.

MODEL NUMBER	MCS 150B11
CUTTING WIDTH	9 - 43 mm
CUTTING DEPTH	15 - 60 mm
BLADE DIAMETER	185 mm
MOTOR OUTPUT	2400 Watts
SPEED	7200 rpm
WEIGHT	6.5 Kg
PRICE	₹ 3,23,450



- 2.400 Watt power and best rotation speed for extensive milling in the hardest of materials without effort
- All cutting depths possible in one step with 11 diamond cutting blades
- Tool-free depth adjustment up to 25 mm
- Disc collar 22 mm



## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and an LED light for optimal cutting efficiency
- **Dust-free milling** with excellent dust suction device, Ø 38 mm



11 diamond blades GOLD II



# CONCRETE MILLING & GRINDING MACHINES







MODEL	MCM 700	MCM 600
SPECIALITY	Concrete milling machine for cleaning, smoothing and grinding	Face milling machine for grinding and milling
WIDTH	-	190 mm
DEPTH	1 - 7 mm	up to 6 mm
BLADE DIAMETER	125 mm	-
MOTOR OUTPUT	1600 Watts	800 Watts
SPEED	8500 rpm	1100 rpm
TORQUE	2.3 Nm	10 Nm
WEIGHT	4.5 Kg.	5 Kg.
PRICE	₹ 1,43,000	₹ 1,66,800

## ADVANTAGES

- **Safe**, with a unique and powerful overload electronic
- **Electronic control** to prevent overload, therefore no waiting time until the motor can restart
- **Low operating cost** through an electronic and a mechanical clutch
- **Electronics** for a smooth start and a LED light for optimal milling efficiency
- **Dust-free milling** with excellent dust suction device



- > Unique ergonomic design
- > For the cleaning and smoothing of hard surfaces and removing of residual colours and old paintwork
- > Easy to work close to the wall
- > With special adjustable slide plate for working depths in corners

## ADVANTAGES

- **Low operating cost** through an electronic and a mechanical clutch
- **Dust free milling** with perfect suction device




- > For interior or exterior areas, house facades, concrete walls, floor pavements, industrial floors, oil- or flax colours, adhesive left-overs, concrete left-overs or colour marking
- > Abrading of lead containing paint nearly without fine dust (clearly below the limit of 0,1 mg/m³)



# CONCRETE & PAINT MIXERS







## MODEL NUMBER

MIX 25

MIX 125 D

MIX 1800

MIX 1800 C

## MIXING QUANTITIES

up to 25 Kg

up to 120 Kg

above 120 Kg

## MOTOR OUTPUT

1600 Watts

1400 Watts

1800 Watts

## SPEED

180 - 750 rpm

260 - 630 rpm

330 - 810 rpm

## TORQUE

21 Nm

84 Nm

95 Nm

## THREAD

M14 x 2

M14 x 2

M14 x 2

## WEIGHT

3 Kg

7 Kg

5 Kg

## PRICE

₹ 33,365

₹ 1,66,800

₹ 1,08,950 | ₹ 1,29,375

## ADVANTAGES

- **Ergonomically** formed grips for easy handling
- **2-speed gearbox** for easy working
- **Adjustable** speed electronics

## ADVANTAGES

- **Ergonomically** formed grips for easy handling
- Die-cast aluminium and powder coated, case hardened gearbox parts for **durability**
- **Adjustable** speed electronics
- **High torque**, for easy mixing of tough mixtures

## ADVANTAGES

- **Ergonomically** formed grips for easy handling
- Die-cast aluminium and powder coated, case hardened gearbox parts for **durability**
- **Adjustable** speed electronics
- **Electronic controls** the optimum speed depending on the material



- > 2-speed gearbox, speed regulation, soft-start electronics, switch lock
- > High torque, for easy mixing of tough mixtures



- > Counter-rotating, high and low stirring for intensive mixing and shorter mixing times for larger quantities
- > For materials such as plaster, mortar, paint, glue etc.
- >



- > Extremely powerful with 1.800 Watt engine output
- > For materials such as plaster, mortar, paint, glue etc.
- > High torque, for easy mixing of tough mixtures



# ACCESSORIES FOR WET AND DRY DIAMOND CORE DRILLING MACHINES





## DIAMANT DRY CORE DRILL Premium concrete 10 mm

### APPLICATION

Concrete, washed concrete, clinker



### FINISH

Laser welded



COLOUR	DIAMETER	THREAD	ARTICLE NR.	
Blue	68 mm	M16	MA 2394	
Blue	82 mm	M16	MA 2402	

## DIAMOND DRY CORE DRILL Premium universal 10 mm

### APPLICATION

Brick, poroton, aerated concrete



### FINISH

Laser welded



COLOUR	DIAMETER	THREAD	ARTICLE NR.	
Orange	68 mm	M16	MA 48330	
Orange	82 mm	M16	MA 48322	

## DIAMOND DRY CORE DRILL Standard 10 mm

### APPLICATION

Brick, poroton, aerated concrete



### FINISH

Laser welded




COLOUR	DIAMETER	THREAD	ARTICLE NR.	
Red	68 mm	M16	MA 7416	
Red	82 mm	M16	MA 7417	

## TITANIUM DRY CORE DRILL 10 mm

### APPLICATION

Concrete, reinforced concrete, highly compressed lime stone



### FINISH

Laser welded




COLOUR	DIAMETER	THREAD	ARTICLE NR.	
White	68 mm	1 1/4"	MA 6654	
White	82 mm	1 1/4"	MA 6491	

## TITANIUM DRY CORE DRILL 10 mm

### APPLICATION

Concrete, reinforced concrete, highly compressed lime stone



### FINISH

Laser welded



Suction holes at rear

COLOUR	DIAMETER	THREAD	ARTICLE NR.	
Titanium	68 mm	M16	MA 6374	
Titanium	82 mm	M16	MA 6263	
Titanium	68 mm	M16 (open at rear)	MA 6378	
Titanium	82 mm	M16 (open at rear)	MA 6376	
Titanium	68 mm	M16 (open at rear) useable length 90 mm	MA 8366	
Titanium	82 mm	M16 (open at rear) useable length 90 mm	MA 8365	



### CENTERING ARBOR

### ARTICLE NR.

Centering arbor for socket sinking

MA 6471



### PROFESSIONAL SHARPENING PLATE

### ARTICLE NR.

160 x 30 x 320 mm

MA 15453

## EXTENSION CONNECTION FOR WET CORE DRILLS



DIAMETER	THREAD	ARTICLE NR.	
300 mm	1 1/4" UNC	MA 41731	
400 mm	1 1/4" UNC	MA 59444	
300 mm	1/2"	MA 59998	
400 mm	1/2"	MA 7448	



## TITANIUM DRY CORE DRILLS

### APPLICATION

Concrete, reinforced concrete,  
highly compressed lime stone

### FINISH

Laser welded




DIAMETER	THREAD	COLOUR	ARTICLE NR.	PRICE
32 x 400 mm	1 1/4"	yellow	MA 9877	
42 x 400 mm	1 1/4"	yellow	MA 9879	₹ 34,730
52 x 400 mm	1 1/4"	yellow	MA 9880	₹ 38,130
62 x 400 mm	1 1/4"	yellow	MA 9882	₹ 42,900
68 x 400 mm	1 1/4"	yellow	MA 9883	₹ 44,260
72 x 400 mm	1 1/4"	yellow	MA 9884	₹
82 x 400 mm	1 1/4"	yellow	MA 9885	₹ 46,300
92 x 400 mm	1 1/4"	yellow	MA 9887	₹
102 x 400 mm	1 1/4"	yellow	MA 9888	₹ 49,710
112 x 400 mm	1 1/4"	yellow	MA9889	₹ 51,070
122 x 400 mm	1 1/4"	yellow	MA 9890	₹ 57,880
127 x 400 mm	1 1/4"	yellow	MA 9891	₹
132 x 400 mm	1 1/4"	yellow	MA 9892	₹ 62,000
142 x 400 mm	1 1/4"	yellow	MA 9893	₹
152 x 400 mm	1 1/4"	yellow	MA 9895	₹ 88,500
162 x 400 mm	1 1/4"	yellow	MA 9896	₹ 95,350
182 x 400 mm	1 1/4"	yellow	MA 9897	₹ 1,01,500
202 x 400 mm	1 1/4"	yellow	MA 9898	₹ 1,19,200
222 x 400 mm	1 1/4"	yellow	MA 9926	
252 x 400 mm	1 1/4"	yellow	MA 9927	

## PREMIUM WET CORE DRILLS

### APPLICATION

Concrete, reinforced  
concrete, clinker



DIAMETER	THREAD	EFF. LENGTH	ARTICLE NR.	PRICE
52 mm	1 1/4"	450 mm	MA 6721	₹ 26,555
56 mm	1 1/4"	450 mm	MA 60301	₹
62 mm	1 1/4"	450 mm	MA 66563	₹ 29,960
68 mm	1 1/4"	450 mm	MA 59451	₹ 29,960
82 mm	1 1/4"	450 mm	MA 59220	₹ 35,405
92 mm	1 1/4"	450 mm	MA 6722	₹
102 mm	1 1/4"	450 mm	MA 58560	₹ 40,175
112 mm	1 1/4"	450 mm	MA 65169	₹ 42,220
122 mm	1 1/4"	450 mm	MA 59873	₹ 43,580
127 mm	1 1/4"	450 mm	MA 59212	₹
132 mm	1 1/4"	450 mm	MA 59469	₹ 47,000
152 mm	1 1/4"	450 mm	MA 58651	₹ 49,000
162 mm	1 1/4"	450 mm	MA 59477	₹ 55,900
182 mm	1 1/4"	450 m	MA 66985	₹ 74,220
202 mm	1 1/4"	450 mm	MA 59485	₹ 79,700
222 mm	1 1/4"	450 mm	MA 67108	₹ 1,10,300
252 mm	1 1/4"	450 mm	MA 59493	₹ 1,26,650
300 mm	1 1/4"	450 mm	MA 65524	₹ 1,66,800
350 mm	1 1/4"	450 mm	MA 65532	₹ 2,11,100
400 mm	1 1/4"	450 mm	MA 65540	

## PREMIUM DIAMOND BLIND HOLE DRILLS

### APPLICATION

Granite, marble, natural stone

### FINISH

Soldered



DIAMETER	THREAD	EFFECTIVE LENGTH	ARTICLE NR.	PRICE
6 mm	1/2"	70 mm	MA 59618	₹ 13,620
8 mm	1/2"	70 mm	MA 59626	₹ 14,300
10 mm	1/2"	70 mm	MA 59634	₹ 15,000
12 mm	1/2"	70 mm	MA 59907	₹ 15,650

## PREMIUM WET CORE DRILLS



DIAMETER	THREAD	EFF. LENGTH	ARTICLE NR.	PRICE
10 mm	1/2"	200 mm	7348	₹ 13,620
12 mm	1/2"	200 mm	7349	₹ 14,300
14 mm	1/2"	200 mm	7350	₹ 15,000
16 mm	1/2"	200 mm	7352	₹ 15,650
18 mm	1/2"	200 mm	7353	
20 mm	1/2"	400 mm	7354	
25 mm	1/2"	400 mm	7355	
30 mm	1/2"	400 mm	7356	
35 mm	1/2"	400 mm	7357	
40 mm	1/2"	400 mm	7358	
45 mm	1/2"	400 mm	7359	
50 mm	1/2"	400 mm	7360	





Drill stand MDS 450



Drill stand MDS 350



Drill stand MDS 250



Quick release column



Vacuum pump



Water pressure container 10 l



Mounting plate



Upgrade set for BDB 802 Basic



Dust extraction



Water retention ring



Distance plate



Centering suction plate



Adapter set for external water supply



Handle



Centering support



Flushing head



Center drill for socket sinking



Center drill for core drilling



Suction adapt

ACCESSORIES FOR MCW 350	ARTICLE NR.	
<b>Drill stand MDS 450</b> without distance plate (up to Ø 250 mm)	MDS 450	
<b>Drill stand MDS 350</b> with steel bottom plate without distance plate (up to Ø 250 mm) and mounting set	MDS 350	
<b>Drill stand</b> clamp for quick release column	MA 9058	
<b>Distance plate up to</b> Ø 420 mm	MA 71829	
<b>Vacuum plate</b> for drill stand	MA 73312	
<b>Vacuum pump</b> with 3 m suction pipe	MA 46771	
<b>Dust extraction</b> 1 1/4" for dry coring	MA 9057	
<b>Quick release column</b> extendable from 1.70 m up to 3.00 m	MA 65953	
<b>Mounting plate</b>	MA 9160	
<b>Quick release ring</b> 1 1/4"	MA 70813	

ACCESSORIES FOR MCW 250	ARTICLE NR.	
<b>Drill stand MDS 250</b> including mounting plate and mounting set	MDS 250	
<b>Drill stand</b> clamp for quick release column	MA 9058	
<b>Mounting plate</b> for <b>MDS 250</b>	MDS 250	
<b>Vacuum plate</b> for drill stand	MA 73312	
<b>Water retention ring</b> for drill stand up to Ø 180 mm	MA 8207	
<b>Water retention ring</b> for drill stand up to Ø 250 mm	MA 8208	
<b>Spare rubber cap</b> for water retention ring up to Ø 180 mm	MA 60236	
<b>Spare rubber cap</b> for water retention ring up to Ø 250mm	MA 62141	
<b>Vacuum pump</b> with 3 m suction pipe	MA 46771	
<b>Water pressure container</b> for 10 l of water	MA 60723	
<b>Quick release column</b> extendable from 1.70 m to 3.00 m	MA 65953	
<b>Threaded rod</b> M12, complete	MA 52126	
<b>Heavy duty dowel</b> M12, 10 pieces	MA 52159	
<b>Sharpening plate</b>	MA 15453	
<b>Dust extraction</b> 1 1/4" for dry coring	MA 9057	
<b>Quick release ring</b> 1 1/4"	MA 70813	

ACCESSORIES FOR MCW 200	ARTICLE NR.	
<b>MDS 160</b> and carrying case	MA 6806	
<b>Drill stand MDS 160</b> including thread adapter 60 mm and mounting set	MDS 160	
<b>Drill stand</b> clamp for quick release column	MA 9058	
<b>Vacuum plate</b> for drill stand and mounting set	MA 73312	
<b>Water retention ring</b> for drill stand up to Ø 180mm	MA 8207	
<b>Spare rubber cap</b> for water collecting ring up to Ø 180mm	MA 60236	
<b>Centering suction plate</b> (find matching special vacuum cleaner BSS 606 L on page 64)	MA 44867	
<b>Centering plate</b> with rubber seal	56 mm	MA 44685
	68 mm	MA 60806
	82 mm	MA 44693
	102 mm	MA 44701
<b>Rubber seal</b> (spare part)	56 mm	MA 44750
	68 mm	MA 60798
	82 mm	MA 44768
	102 mm	MA 44776
<b>Sharpening plate</b>	MA 15453	
<b>Threaded rod</b> complete	MA 52126	
<b>Heavy duty dowel</b> M12, 10 pieces	MA 52159	
<b>Quick release column</b> extendable from 1.70 m up to 3.00 m	MA 65953	
<b>Carrying case</b>	MA 8495	
<b>Water pressure container</b> for 10 l of water	MA 60723	
<b>Vacuum pump</b> with 3 m suction pipe	MA 46771	
<b>Dust extraction</b> 1 1/4" for dry coring	MA 9057	
<b>Quick release ring</b> 1 1/4"	MA 70813	



ACCESSORIES FOR MCW 160		ARTICLE NR.	
<b>Drill stand MDS 160</b> including thread adapter and mounting set		MDS 160	
<b>Drill stand</b> clamp for quick release column		MA 9058	
<b>Vacuum plate</b> for drill stand and mounting set		MA 73312	
<b>Water retention ring</b> for drill stand up to Ø 180 mm		MA 8207	
<b>Spare rubber cap</b> for water retention ring up to Ø 180 mm		MA 60236	
<b>Centering suction plate</b> (find matching special vacuum cleaner BSS 606 L on page 64)		MA 44867	
<b>Centering plate</b> with rubber seal	56 mm	MA 44685	
	68 mm	MA 60806	
	82 mm	MA 44693	
	102 mm	MA 44701	
<b>Rubber seal</b> (spare part)	56 mm	MA 44750	
	68 mm	MA 60798	
	82 mm	MA 44768	
	102 mm	MA 44776	
Sharpening plate		MA 15453	
Threaded rod complete		MA 52126	
Heavy duty dowel M12, 10 pieces		MA 52159	
Quick release column extendable from 1,70 m up to 3,00 m		MA 65953	
Carrying case		MA 8495	
Water pressure container for 10 l of water		MA 60723	
Vacuum pump with 10 m suction pipe		MA 46771	
Dust extraction 1 1/4" for dry coring		MA 9057	
Quick release ring 1 1/4"		MA 70813	

ACCESSORIES FOR MCW 125		ARTICLE NR.	
<b>Vacuum set</b> for drill stand		MA 73312	
<b>Water extraction set</b> for drill stand		MA 73296	
<b>Drill stand</b> clamp for quick release column		MA 9058	
<b>Spare rubber cap</b> for water extraction set		MA 73320	
<b>Spare foam rubber ring</b> for water extraction set		MA 73809	
<b>Reducing sleeve</b> Ø 60 mm, Ø 56 mm		MA 48199	
<b>Centering suction plate</b> (find matching special vacuum cleaner BSS 606 L on page 64)		MA 44867	
<b>Centering plate</b> with rubber seal	56 mm	MA 44685	
	68 mm	MA 60806	
	82 mm	MA 44693	
	102 mm	MA 44701	
<b>Rubber seal</b> (spare part)	56 mm	MA 44750	
	68 mm	MA 60798	
	82 mm	MA 44768	
	102 mm	MA 44776	
<b>Sharpening plate</b>		MA 15453	
<b>Threaded rod</b> complete		MA 52126	
<b>Heavy duty dowel</b> M12 15rd (10 pieces)		MA 52159	
<b>Carrying case</b>		MA 13771	
<b>Water pressure container</b> for 10 l of water		MA 60723	
<b>Vacuum pump</b> with 3 m suction pipe		MA 46771	
<b>Dust extraction</b> 1 1/4" for dry coring		MA 9057	
<b>Quick release ring</b> 1 1/4"		MA 70813	

ACCESSORIES FOR MCW 40	ARTICLE NR.	
Plastic carrying case	MA 59592	
Upgrading set for MCW 40 Basic	MA 73577	
Centering support with scrolls (Ø 40 mm), without suction foot	MA 6319	
Suction foot for centering support	MA 60673	
Drill clamp for quick release	MA 59329	
Handle	MA 64022	
Drill stand with suction feet	MA 67033	
Adapter with drill chuck	MA 61093	
Adapter set for external water supply	MA 55277	
Water pressure container for 10 l of water	MA 60723	
Core ejector for Ø 6 – 10 mm	MA 60871	
Core ejector for Ø 12 – 16 mm	MA 59600	

ACCESSORIES FOR MCD 250	ARTICLE NR.	
Drill stand BST 450 PRO without distance plate (up to 250 mm)	MA 6744	
Drill stand BST 420 with steel bottom plate and mounting set, without distance plate (up to 250 mm)	MA 7444	
Drill stand clamp for quick release column	MA 9058	
Distance plate up to 420 mm	MA 71829	
Vacuum plate for drill stand	MA 73312	
Vacuum pump with 3 m suction pipe	MA 46771	
Quick release column extendable from 1.70 m to 3.00 m	MA 65953	
Mounting plate 9160	MA 9160	
Quick release ring 1 1/4"	MA 70813	






ACCESSORIES FOR MCD 825	ARTICLE NR.	
Drill stand MDS 160 including clamping collar and mounting set	MDS 160	
Flushing head	MA 69468	
Vacuum plate for drill stand and mounting set	MA 73312	
Drill stand clamp for quick release column	MA 9058	
Spare vacuum rubber for base plate	MA 60392	
Water retention ring for drill stand up to Ø 180 mm	MA 8207	
Spare rubber cap for water retention ring up to Ø 180 mm	MA 60236	
Suction pipe set for drill stand	MA 60335	
Spare rubber cap for suction pipe set	MA 60400	
Spare foam rubber ring for suction pipe set	MA 60418	
Center drill for socket sinking	MA 6471	
Center drill for core drilling, length 300 mm up to 450 mm	MA 74179	
Spare center stick for center drill for socket sinking	MA 62604	
Sharpening plate	MA 15453	
Carrying case	MA 8495	
Water pressure container for 10 l of water	MA 60723	
Vacuum pump with 3 m suction pipe	MA 46771	
Threaded rod complete	MA 52126	
Heavy-duty dowel M12, 10 pieces	MA 52159	
Quick release column extendable vom 1.70 m up to 3.00 m	MA 65953	




ACCESSORIES FOR MCD 200	ARTICLE NR.	
<b>Drill stand MDS 160</b> including clamping collar and mounting set	MDS 160	
<b>Vacuum plate</b> for drill stand and mounting set	MA 73312	
<b>Drill stand</b> clamp for quick release column	MA 9058	
<b>Spare vacuum rubber</b> for base plate	MA 60392	
<b>Center drill</b> for socket sinking	MA 6471	
<b>Center drill</b> for core drilling, length 300 mm up to 450 mm	MA 74179	
<b>Spare center stick</b> for center drill for socket sinking	MA 62604	
<b>Sharpening plate</b>	MA 15453	
<b>Carrying case</b>	MA 8495	
<b>Vacuum pump</b> with 3 m suction pipe	MA 46771	
<b>Threaded rod</b> complete	MA 52126	
<b>Heavy-duty dowel</b> M12, 10 pieces	MA 52159	
<b>Quick release column</b> extendable from 1.70 m up to 3.00 m	MA 65953	

ACCESSORIES FOR MCD 822A	ARTICLE NR.	PRICE
<b>Suction adapter</b> including centering pin and spine	MA 9652	₹ 19,750
<b>Spare</b> centering pin for suction adapter	MA 9651	₹ 2,930
<b>Carrying case</b>	MA 8495	₹
<b>Core bit shaft</b> with reversible center drill, thread M18/16	MA 53199	₹
<b>Dust extraction head</b> with core bit shaft and reversible center drill, thread M18/16	MA 53207	₹
<b>Rubber joint</b> for dust extraction head	MA 70821	₹
<b>Spare center drill</b>	MA 34587	₹
<b>Sharpening plate</b>	MA 15453	₹
<b>TITANIUM dry core bit</b> for socket sinking Ø 68 mm for reinforced concrete, highly compressed lime stone	MA 6374	₹
<b>TITANIUM dry core bit</b> for socket sinking Ø 82 mm for reinforced concrete, highly compressed lime stone	MA 6263	₹
<b>Dry core bit</b> for socket sinking blue Ø 68 mm for concrete and clinker	MA 2394	₹
<b>Dry core bit</b> for socket sinking blue Ø 82 mm for concrete and clinker	MA 2402	₹
<b>Dry core bit</b> for socket sinking orange Ø 68 mm for bricks, poroton, aerated concrete	MA 48330	₹
<b>Dry core bit</b> for socket sinking orange Ø 82 mm for bricks, poroton, aerated concrete	MA 48322	₹
<b>TITANIUM dry core bit</b> for socket sinking Ø 68 mm (with suction holes at rear)	MA 6378	₹ 21,790
<b>TITANIUM dry core bit</b> for socket sinking Ø 82 mm (with suction holes at rear)	MA 6376	₹ 25,200
<b>Dry core bit</b> for socket sinking gold Ø 68 mm for highly compressed lime stone (with suction holes at rear)	MA 8057	₹ 14,300
<b>Dry core bit</b> for socket sinking gold Ø 82 mm for highly compressed lime stone (with suction holes at rear)	MA 7629	₹ 15,650

ACCESSORIES FOR MCD 824 S		ARTICLE NR.	PRICE
Carrying case		MA 8495	
Spare center drill		MA 62604	₹ 8,175
Sharpening plate		MA 15453	
Dry core bit for socket sinking gold Ø 68 mm for highly compressed lime stone		MA 8057	
Dry core bit for socket sinking gold Ø 82 mm for highly compressed lime stone		MA 7629	
Dry core bit for socket sinking yellow Ø 68 mm for concrete, highly compressed lime stone		MA 9015	
Dry core bit for socket sinking yellow Ø 82 mm for concrete, highly compressed lime stone		MA 6934	

ADAPTERS		ARTICLE NR.	
	G1/2" AG to 1 1/4" UNC AG	MA 42663	
	G1/2" AG to G1/2" AG HOLLOW	MA 61994	
	G1/2" AG to M16 HOLLOW AG 150 mm long	MA 68866	
	G1/2" AG to M18 FULL	MA 61515	
	1 1/4" AG x 1/2" IG to M18 IG HOLLOW	MA 67678	
	M14 x 2 AG to M18 AG	MA 46128	
	M14 x 1,5 AG to M18 AG	MA 38042	
	M16 AG to SDS	MA 74278	
	M16 FULL to M18 IG FULL	MA 7595	
	6-KT to M16 AG	MA 7438	
	Centering drill conical compatible with ID # 74278, 67595, 7438	MA 8102	

CENTERING BLADES		ARTICLE NR.	
	42 mm	MA 63826	
	52 mm	MA 63834	
	62 mm	MA 63842	
	68 mm	MA 6718	
	72 mm	MA 63859	
	82 mm	MA 63867	
	92 mm	MA 63875	
	102 mm	MA 63883	
	112 mm	MA 63891	
	122 mm	MA 63909	
	127 mm	MA 6719	
	132 mm	MA 63917	
	142 mm	MA 7091	
	152 mm	MA 63925	
	162 mm	MA 63933	
	172 mm	MA 76547	
	182 mm	MA 76554	
	192 mm	MA 76562	
	202 mm	MA 76570	
	252 mm	MA 7400	




# ACCESSORIES FOR WALL CHASER MACHINES





ACCESSORIES FOR MCS 125B2	ARTICLE NR.	
<b>Diamond cutting blade Turbo High Speed</b> Ø 125 mm for reinforced concrete, highly compressed lime stone, brick and poroton	MA 7234	
<b>Diamond cutting blade Laser Turbo Premium</b> Ø 125 mm for reinforced concrete, washed concrete, brick	MA 7209	
<b>Diamond cutting blade S10 Standard</b> Ø 125 mm for brick, aerated concrete, plaster	MA 7242	
<b>Diamond cutting blade Turbo Allround</b> Ø 125 mm for brick, poroton, plaster, aerated concrete	MA 7228	



Diamond cutting blades MA 7209



Diamond cutting blades MA 7234



Diamond cutting blades MA 7228

ACCESSORIES FOR MCS 150B6	ARTICLE NR.	
<b>Special hook</b> to tighten or loosen the diamond blades	MA 11239	
<b>Diamond cutting blade GOLD II</b> , diameter 150 mm for reinforced concrete, highly compressed lime stone, brick and poroton	MA 75333	
<b>Diamond cutting blade turbo high speed</b> , diameter 150 mm for reinforced concrete, highly compressed lime stone, brick and poroton	MA 7235	
<b>Diamond cutting blade blue</b> , diameter 150 mm for concrete, washed concrete, lime stone	MA 5272	



Diamond blades



Diamond blades



Diamond blades

ACCESSORIES FOR MCS 150B2	ARTICLE NR.	PRICE
<b>Special hook</b> to tighten or loosen the diamond blades	MA 11239	₹ 2,380
<b>Diamond cutting blade GOLD II</b> , diameter 150 mm for reinforced concrete, highly compressed lime stone, brick and poroton	MA 75333	
<b>Diamond cutting blade Turbo High Speed</b> , diameter 150 mm for reinforced concrete, highly compressed lime stone, brick and poroton	MA 7235	₹ 7,150
<b>Diamond cutting blade blue</b> , diameter 150 mm for concrete, washed concrete, lime stone	MA 5272	
<b>Diamond cutting blade white</b> , diameter 150 mm for lime stone, poroton, brick	MA 28712	
<b>Diamond cutting blade Laser Turbo Premium</b> , diam. 150 mm for reinforced concrete, washed concrete, brick	MA 7210	
<b>Diamond cutting blade S10 Standard</b> , diameter 150 mm for brick, aerated concrete, plaster	MA 7243	
<b>Diamond cutting blade Turbo Allround</b> , diameter 150 mm for brick, poroton, plaster, aerated concrete	MA 7230	




Diamond cutting blades



Diamond cutting blades



Diamond cutting blades



Diamond cutting blades



Diamond cutting blades



Diamond cutting blades



ACCESSORIES FOR MCS 150B11		ARTICLE NR.
<b>Special hook</b> to tighten or loosen the BDS diamond blades		MA 11239
<b>Carriage</b> for MCS 150B11		MA 7336
<b>Diamond cutting blade GOLD II</b> , diameter 150 x 22,23 mm for reinforced concrete, highly compressed lime stone, brick and poroton		MA 75333

ACCESSORIES FOR MCS 185B4		ARTICLE NR.
<b>Special hook</b> to tighten or loosen the diamond blades		MA 11239
<b>Disc ring II</b> 2 mm		MA 10637
<b>Insert plate</b> for housing		MA 6917
<b>Diamond cutting blade silver</b> , diameter 185 mm for concrete, aerated concrete, brick		MA 6565
<b>Diamond cutting blade white</b> , diameter 185 mm for sand lime brick, poroton, brick		MA 46516



Diamond cutting blades



Diamond cutting blades

ACCESSORIES FOR MCS 185B2		ARTICLE NR.	PRICE
<b>Special hook</b> to tighten or loosen the BAIER diamond blades		MA 11239	
<b>Diamond cutting blade blue</b> , diameter 185 mm for reinforced concrete, highly compressed lime stone		MA 46532	
<b>Diamond cutting blade GOLD</b> , diameter 185 mm for concrete, washed concrete, brick		MA 72074	
<b>Diamond cutting blade white</b> , diameter 185 mm for lime stone, poroton, brick		MA 46516	₹ 8,515



Diamond cutting blades



Diamond cutting blades



Diamond cutting blades

ACCESSORIES FOR MGM 300			ARTICLE NR.	PRICE
	CUTTING DEPTH	CUTTING WIDTH		
<b>Eurocutter 20</b>	25 – 35 mm	20 mm	MA 55657	₹ 19,750
<b>Eurocutter 25</b>	25 – 38 mm	25 mm	MA 54650	₹ 19,750
<b>Aluminium washer</b> (10 pieces)			MA 3657	
<b>Dust suction cover</b> (Ø 38 mm)			MA 47084	
<b>Dust collection cover AS</b> for more efficient exhaust (Ø 38 mm)			MA 55129	



Dust suction cover BMF 501



Eurocutter 25



# ACCESSORIES FOR MILLING & GRINDING MACHINES





ACCESSORIES FOR MCM 700		ARTICLE NR.
<b>Carrying case</b>		MA 67942
<b>Ring brush set</b> to avoid lateral splashing of water		MA 76679
<b>Diamond milling plate</b> , diameter 125 mm for fine abrasion on limes tone, brick		MA 67892
<b>Diamond milling plate</b> , diameter 125 mm for effective abrasion on lime stone, brick		MA 67918
<b>Diamond milling plate</b> , diameter 125 mm for concrete, lime stone, brick		MA 7268

ACCESSORIES FOR MCM 500		ARTICLE NR.
<b>Diamond grinding disc set</b> for grinding of concrete surfaces, milling and renovating work on floors (screed and industrial floors) and removing colour		MA 55327
<b>Starmiller set</b> (including slide plate)		MA 60616
<b>Starmiller SF 80</b> (set) to remove and balance of soft floor pavement, weathered facades, grinding of heat sensitive material, e.g. polyester color in swimming pools, grinding left-overs and paint from concrete, removal of carpet left-overs and adhesives		MA 54957
<b>Slide plate for dust reduction needed (No. MA 57463)!</b>		
<b>Turbo-starmiller SF 80</b> (set) for very aggressive removal! To remove and balance of soft floor pavement, weathered facades, grinding of heat sensitive material, e.g. polyester color in swimming pools, grinding left-overs and paint from concrete, removal of carpet left-overs and adhesives.		MA 7383
<b>Set of spare starmillers</b> (16 pieces per starmiller)		MA 57984
<b>Slide plate</b> for starmiller and carbide interchanging cutter tool		MA 57463
<b>HM carbide grinding disc set left/right</b> complete with adapter for grinding		MA 49643
<b>HM carbide tipped cutter set</b> for milling work on plaster, plain surfaces, removal of carpet left-overs, adhesives, etc.		MA 55335
<b>Keying tool set</b>		MA 73288
<b>HM carbide interchanging cutter tool with long life time</b> for the smooth or aggressive removal (carbide plates are to be put upwards). Well defined removal or levelling of floor pavement and plaster. Scratching of material with greasing tendency, e.g. oil paint in swimming pools, different colours on different surfaces, removal of graffiti. Respirable dust-free working (even by leaded colours)!		MA 73379
<b>Only possible if using slide plate.</b>		




Diamond milling plates



Diamond milling plates



Diamond milling plates



Keying tool set



Carbide interchanging cutter tool set



Diamond grinding disc set



Carbide tipped cutter set

DIAMOND MILLING PLATE		
DIAMETER	APPLICATION	ARTICLE NR.
125 mm	for fine abrasion	MA 67892
125 mm	for effective abrasion	MA 67918

MILLING PLATE		
DIMENSION	ARTICLE NR.	
125 x 8 x 10 x 23 mm	MA 7268	
125 x 8 x 10 x 28 mm	MA 7269	



# ACCESSORIES FOR CONCRETE AND PAINT MIXERS





## ACCESSORIES FOR CONCRETE AND PAINT MIXERS



Paddle 1/1



Paddle 1/2



Transport wheels




Mixing bucket



Paddle



Stirrer



Stirrer for soft material

### ACCESSORIES FOR MIXUP 120

### ARTICLE NR.

<b>Mobile mixing station MIXUP 120</b> including transport rack, bucket, high speed mixer and paddle	MA 9813	
<b>MIXUP 120</b> transport rack including mixing bucket	MA 9781	
<b>Mixing bucket</b> MIXUP 120	MA 9778	
<b>Paddle 1/1</b> , diameter 225 mm	MA 9806	
<b>Paddle 1/2</b> , diameter 225 mm	MA 9916	
<b>Protective grid</b> complete	MA 10023	
<b>Transport wheels</b> (extra large) including axle and 2 wheels	MA 9871	

### ACCESSORIES FOR MIX 25

### ARTICLE NR.

### PRICE

<b>Paddle</b>	MA 9118	₹ 7,830
---------------	---------	---------

### ACCESSORIES FOR MIX 125D

### ARTICLE NR.

### PRICE

<b>Stirrer</b> left thread	140 mm	M14 x 2	MA 38505	₹ 9,875
<b>Stirrer</b> right thread	140 mm	M14 x 2	MA 38513	₹ 9,875

### ACCESSORIES FOR MIX 1800

### ARTICLE NR.

### PRICE

<b>Mixing of liquid and soft material</b>	120 mm	M14 x 2	MA 46987	₹ 10,555
<b>Mixing of tough material</b> from bottom to top	120 mm	M14 x 2	MA 46995	₹ 14,640
<b>Mixing of tough material</b> from top to bottom	120 mm	M14 x 2	MA 47001	₹ 18,045

### ACCESSORIES FOR MIX 1800 C

### ARTICLE NR.

<b>Mixing of liquid and soft material</b>	120 mm	M14 x 2	MA 46987	
<b>Mixing of tough material</b> from bottom to top	120 mm	M14 x 2	MA 46995	
<b>Mixing of tough material</b> from top to bottom	120 mm	M14 x 2	MA 47001	



**BDS Machines Private Limited**

Plot 40, Surekha, Prithviraj Nagar, Gadia Vihar,  
Aurangabad, Maharashtra 431005, India.  
Google Navigation: V83V+87 Aurangabad



+917030888444  
info@bds-machines.in  
www.bds-concrete.in